

Since 1997

Fine Chemicals and More ...



## Anti-Aging Day Cream SPF 15 (SLI-040)

This hydrating, anti-aging day cream with hyaluronic acid prevents the appearance of wrinkles. Contains UVA/UVB filters that protect your skin from premature aging caused by the sun.

Phase	Ingredient	INCI	% w/w	Function
A	Water demin.	AQUA	QS	
	PuraBeet® Betaine Anhydrous (AGRANA Stärke)	BETAINE	3.00	Humectant
	CBP Inulin FOS (Cosun Beet Company)	INULIN	1.50	Active
	Xanthan Gum	XANTHAN GUM	0.30	Rheology Modifier
B	MONTANOV™ 202	ARACHIDYL ALCOHOL, BEHENYL ALCOHOL, ARACHIDYL GLUCOSIDE	3.00	Emulsifier
	MONTANOV™ 68 MB	CETEARYL ALCOHOL, CETEARYL GLUCOSIDE	2.00	Emulsifier
	Premium Organic* Coconut Butter (NATUROCHIM S.A.S.)	COCOS NUCIFERA OIL, HYDROGENATED COCONUT OIL	2.00	Butter
	Gilsolide® HVN (GILAS sas)	C13-14 ALKANE, POLYGLYCERYL-4 OLEATE, GLYCERYL OLIVATE	4.00	Emollient
	JD Jojoba Organic Colorless Oil (Jojoba Desert (A.C.S) Ltd.)	SIMMONDSIA CHINENSIS SEED OIL	2.00	Emollient
	Xperse® 501 (EverCare)	ZINC OXIDE, CAPRYLIC/CAPRIC TRIGLYCERIDE, POLYHYDROXY STEARIC ACID	16.75	UV – Filter
	Vitamin-E-Acetat	TOCOPHERYL ACETATE	0.50	Active
C	Sharohyal Matrix (Sharon Personal Care)	AQUA, PROPANEDIOL, HYDROLYZED GLYCOSAMINOGLYCANS, GLYCERIN, SODIUM HYALURONATE, HYALURONIC ACID, SODIUM HYALURONATE CROSSPOLYMER	1.00	Active
	TAPIOCA NATURAL (AGRANA Stärke)	TAPIOCA STARCH	3.00	Sensory Enhancement
	Phenoxyethanol (Sharon Laboratories Ltd.)	PHENOXYETHANOL	0.80	Preservative
	PARFÜMÖL MIYAKI (Frey + Lau GmbH)	PARFUM	0.50	Perfume

## Anti-Aging Day Cream SPF 15 (SLI-040)

This hydrating, anti-aging day cream with hyaluronic acid prevents the appearance of wrinkles. Contains UVA/UVB filters that protect your skin from premature aging caused by the sun.

### Specification:

Appearance:	White cream
pH-value:	7.40 – 7.80
Viscosity:	approx. 17000 mPas (IKA Rotavisc me-vi, SP9, 5rpm, 20°C)
Stability:	Stable for 3 months at 4°C, 20°C and 40°C, 1 month at 45°C

### Procedure:

- I. Mix the components of phase A while stirring and heat up to 80°C.
- II. Mix the components of phase B while stirring and heat up to 80°C.
- III. Add phase B to phase A and homogenize for 5 – 10 minutes.
- IV. Cool down to 35°C and add phase C.

### SLI Chemicals GmbH

Insterburger Str. 7, 60487 Frankfurt/M. (Germany) ☎ +49 (0) 69 74 74 28 0 ✉ [labor@slichemicals.com](mailto:labor@slichemicals.com) 🌐 [www.slichemicals.com](http://www.slichemicals.com)

This information is based on the information provided by our suppliers and the current state of our knowledge and is intended to provide information about the products of our suppliers and their possible applications. They do not have the meaning to guarantee certain properties of the products or their suitability for a specific application. Any existing industrial property rights must be observed.

Diese Angaben basieren auf Informationen unserer Lieferanten sowie unserem aktuellen Stand unserer Kenntnisse und sollen über die Produkte unserer Lieferanten und deren Anwendungsmöglichkeiten informieren. Sie sichern keine bestimmte Eigenschaften der Produkte oder deren Eignung für einen konkreten Einsatzzweck zu. Etwa bestehende gewerbliche Schutzrechte sind zu berücksichtigen.